

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S41	48	allocat\$4 near10 buffer\$4 near10 socket\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 10:51
S42	28	allocat\$4 near10 buffer\$4 near10 socket\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 11:10
S43	57	allocat\$4 near10 buffer\$4 same socket\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 11:10
S44	29	allocat\$4 near10 buffer\$4 same socket\$4 and @ad<"20020104" not S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 11:30
S45	618	buffer\$4 near10 socket\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 11:30
S46	2	buffer\$4 near10 socket\$4 near10 reciev\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 11:41
S47	143	buffer\$4 near10 socket\$4 near10 receiv\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 12:25
S48	15	buffer\$4 near10 socket\$4 near10 receiv\$4 same allocat\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:16
S49	1	right near5 size near5 buffer\$5 same socket\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 11:43



S50	10	buffer\$4 near10 socket\$4 near10 driver\$1 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:15
S51	2657	socket\$4 near10 driver\$1 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 12:31
S52	107	socket\$4 near10 driver\$1 and @ad<"20020104" and ("709"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 12:32
S53	17	socket\$4 near10 request\$4 near10 buffer\$4 and @ad<"20020104" and ("709"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 12:33
S54	0	("6820129").URPN.	USPAT	OR	OFF	2005/09/29 12:42
S55	8	("6046817" "6070202" "6115357" "6205120" "6256674" "6347337" "6594701" "6643259").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/29 12:53
S56	3	"6697923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 12:51
S57	2	("5301288" "5978893").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/29 12:51
S58	5	allocat\$4 near10 (memory buffer\$4) near10 (socket\$4 port\$4) near10 receiv\$4 near10 stream\$4 and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 12:56
S59	18	allocat\$4 near10 (memory buffer\$4) near10 (socket\$4 port\$4) near10 (size\$1 length\$1) near10 (cell\$1 packet\$1) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:14
S60	0	allocat\$4 near10 (memory buffer\$4) near10 (socket\$4) near10 (size\$1 length\$1) near10 (cell\$1 packet\$1) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:15

S61	8	(memory buffer\$4) near10 (socket\$4) near10 (size\$1 length\$1) near10 (cell\$1 packet\$1) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:15
S62	618	buffer\$4 near10 socket\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:15
S63	34	buffer\$4 near10 socket\$4 same allocat\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:17
S64	0	buffer\$4 near10 socket\$4 near10 request\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:18
S65	22	buffer\$4 near10 socket\$4 near10 request\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:40
S66	19	(memory\$4 buffer\$4) near10 socket\$4 near10 (transmit\$4 send\$4) near10 (size\$1 length\$1) and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:22
S67	15	(size\$1 length\$2) near10 socket\$4 near10 request\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:46
S68	148	(size\$1 length\$2) near10 socket\$4 near10 driver\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:48
S69	0	S68 and ("709"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:46
S70	6	(allocat\$4) near10 socket\$4 near10 driver\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:49

S71	0	(allocat\$4) near10 buffer\$4 near10 driver\$4 same socket\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:59
S72	7	asynchron\$6 near10 buffer\$4 near10 socket\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 14:07
S73	18	(receiv\$4 reciev\$4) near10 (packet\$1 data cell\$1) near10 socket\$4 near10 driver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 14:16
S74	87	buffer with size\$1 with socket\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 14:17
S75	90	buffer\$1 with size\$1 with socket\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 14:19
S76	38	buffer\$1 with size\$1 with socket\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:07
S77	25	"6304967"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 14:27
S78	0	buffer\$1 with acquir\$4 with socket\$4 with driver\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:03
S79	26	just near5 time with socket\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:08
S80	2	"20030097401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:17

S81	0	"20030097401" and communication near2 thread\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:18
S82	0	"20030097401" and communication near2 task	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:18
S83	1	"20030097401" and communications near2 task	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:21
S84	0	socket\$4 near10 allocat\$4 near10 buffer\$1 near10 driver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:22
S85	15	socket\$4 near10 allocat\$4 near10 driver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:37
S86	20	socket\$1 near5 (thread\$4 task\$1) near10 buffer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:40
S87	5	"6401136"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:43
S88	3	"6654752"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:50
S89	4	"6055576"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 08:40
S90	2	"6822966"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 08:45

S91	164	allocat\$4 near10 buffer\$4 near10 application\$1 near10 system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 08:59
S92	121	allocat\$4 near10 buffer\$4 near10 application\$1 near10 system\$1 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 08:59
S93	2	determin\$6 near10 allocat\$4 near10 buffer\$4 near10 own\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 08:57
S94	0	determin\$6 near10 allocat\$4 near10 buffer\$4 near10 socket\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 08:57
S95	27	determin\$6 near10 allocat\$4 near10 buffer\$4 near10 port\$1 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 08:57
S96	102	allocat\$4 near10 buffer\$4 near10 program near10 system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 08:59
S97	75	allocat\$4 near10 buffer\$4 near10 program near10 system\$1 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 08:59
S98	3312156	determin\$4 allocat\$4 near10 buffer\$4 near10 program near10 system\$1 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 08:59
S99	2	determin\$4 near10 allocat\$4 near10 buffer\$4 near10 program near10 system\$1 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:01
S100	15	determin\$4 near10 buffer\$4 near10 socket\$1 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:09

S10 1	5340	application\$4 near10 socket\$1 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:09
S10 2	21759141	application\$4 near10 socket\$1 near10 own\$4 near10 buffer\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:10
S10 3	1	application\$4 near10 socket\$1 near10 own\$4 near10 buffer\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:23
S10 4	53	application\$4 near10 socket\$1 near10 buffer\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:10
S10 5	7	server\$1 near10 socket\$1 near10 own\$4 near10 buffer\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:23
S10 6	1	server\$1 near10 socket\$1 near10 own\$4 near10 buffer\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:24
S10 7	1	server\$1 near10 socket\$1 near10 assign\$4 near10 buffer\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:24
S10 8	1	application\$4 near10 socket\$1 near10 assign\$4 near10 buffer\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:25
S10 9	0	socket\$1 near10 assign\$4 near10 buffer\$4 near10 shared and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:26
S11 0	0	socket\$1 near10 assign\$4 near10 buffer\$4 near10 shar\$4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:26